

Certificates for Javier Lopez

Basic Information

First Name	Javier
Last Name	Lopez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-04-26	Expired	Rabiul Hyder	(No lab)	Created based on CT521 certificate ID82819

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-04-26	Expired	Rabiul Hyder	(No lab)	Created based on CT521 certificate ID82819
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-04-26	Expired	Rabiul Hyder	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					