

## Certificates for Nathan Beltran

### Basic Information

<b>First Name</b>	Nathan
<b>Last Name</b>	Beltran
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-03-27	Active	Rabiul Hyder	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-03-27	Active	Rabiul Hyder	(No lab)	provided 3 years certs- IA136

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2026-03-27	Active	Rabiul Hyder	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-12-11	Active	Dalton LaBoskey	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy