

Certificates for Dylan Carapazza

Basic Information

First Name	Dylan
Last Name	Carapazza
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5	Ryan DeVault	2015 Westwind Drive, Suite 0, Bakersfield, CA 93301	6	Lab 1

Test Methods

California Test (CT) Certifications

Total **27** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-03-15	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-03-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-03-15	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-04-30	Active	Allen Oliver	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-04-30	Active	Allen Oliver	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2025-04-30	Active	Allen Oliver	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2026-05-08	Active	Allen Oliver	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 541 Flow Cone	2024-05-11	Expired	Rahshaun Spears	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-08-25	Active	Avinash Ralla	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 2 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2025-05-08	Active	Allen Oliver	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2025-04-30	Active	Allen Oliver	Lab 1	(No comments)

Unofficial Copy