

Certificates for Benjamin Fisher

Basic Information

First Name	Benjamin
Last Name	Fisher
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Graniterock Aromas	Douglas Lemon	1900 Quarry Road, Aromas, CA 95004	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-05-24	Expired	Ed Gamboa	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-07	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-07	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-07	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-07	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-07	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2023-06-01	Expired	Ed Gamboa	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)