

Certificates for Daniel Gilbert

Basic Information

| | |
|-------------------|---------|
| First Name | Daniel |
| Last Name | Gilbert |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 5 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2023-12-13 | Expired | Phillip Asher | (No lab) | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2023-12-13 | Expired | Phillip Asher | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|------------------------------------|-----------------|---------|-----------------|---------------------|---------------|
| CT 125 GEN Sampling - GENERAL | 2023-12-13 | Expired | Phillip Asher | (No lab) | (No comments) |
| CT 125 HMA Sampling - HMA | 2023-12-13 | Expired | Phillip Asher | (No lab) | (No comments) |
| CT 382 AC Content by Ignition Oven | 2024-02-23 | Expired | Darrell Valasek | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

Total 1 item.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--------------------------------|-----------------|---------|-----------------|---------------------|---------------|
| AASHTO T312 Gyrotory Compactor | 2024-02-23 | Expired | Darrell Valasek | (No lab) | (No comments) |