

Certificates for Edwin Rojas Flores

Basic Information

First Name	Edwin
Last Name	Rojas Flores
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-08-04	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-08-04	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-05-24	Expired	Rabiul Hyder	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)

Unofficial Copy