Certificates for Colby Cleaver

Basic Information

First Name	Colby
Last Name	Cleaver
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
BoDean Company	Masele Poueu	1060 North. Dutton Avenue, Santa Rosa, CA 95401	4	Lab 1

Test Methods

California Test (CT) Certifications

Total **9** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-03-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **13** items.

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-04-27	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-04-22	Active	Alexis England	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-31	Incomplete	Alexis England	Lab 1	(No comments)

Unofficial Copy