

Certificates for Paramveer Singh

Basic Information

First Name	Paramveer
Last Name	Singh
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-04-19	Expired	Ignocencio Herrera	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-04-19	Expired	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID82814
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-04-19	Expired	Ignocencio Herrera	(No lab)	Created based on CT521 certificate ID82814
CT 533 Ball Penetration - PCC	2023-04-19	Expired	Ignocencio Herrera	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					