

## Certificates for Hunter Monnot

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Hunter |
| <b>Last Name</b>  | Monnot |
| <b>Status</b>     | Active |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

| Test Method                                              | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|----------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                    | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |

| Test Method                                                                   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|-------------------------------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                                   | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                                    | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)                    | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                                               | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                                         | 2027-03-24      | Active | Sarbjit Grewal | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |