

Certificates for Kyle Howard

Basic Information

| | |
|-------------------|--------|
| First Name | Kyle |
| Last Name | Howard |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 6 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2025-05-10 | Active | Alexis England | (No lab) | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2025-05-10 | Active | Alexis England | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 125 GEN Sampling - GENERAL | 2025-05-10 | Active | Alexis England | (No lab) | (No comments) |
| CT 125 HMA Sampling - HMA | 2025-05-10 | Active | Alexis England | (No lab) | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2024-05-10 | Expired | Alexis England | (No lab) | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2024-05-10 | Expired | Alexis England | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |