

Certificates for Zachary Zamora

Basic Information

| | |
|-------------------|---------|
| First Name | Zachary |
| Last Name | Zamora |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-------------------------------------|----------------|--|----------|------------|
| Crawford & Associates, Incorporated | Kennedy Hauder | 4701 Freeport Blvd , Sacramento, CA 95822 | 3 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 12 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2025-06-10 | Active | Avinash Ralla | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2025-06-10 | Active | Avinash Ralla | (No lab) | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | (No lab) | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | (No lab) | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2025-06-10 | Active | Avinash Ralla | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|--------------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2025-06-30 | Active | Ignocencio Herrera | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2025-06-30 | Active | Ignocencio Herrera | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |