

## Certificates for Aziz Trabolci

### Basic Information

<b>First Name</b>	Aziz
<b>Last Name</b>	Trabolci
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-06-27	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2026-06-27	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 125 HMA Sampling - HMA	2026-06-27	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert. IA 68
CT 231 Relative Compaction - Nuclear Gage	2024-06-27	Expired	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-08-15	Active	Ashley Shaw	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-07-05	Active	Ashley Shaw	Lab 1	Created based on CT521 certificate ID84663
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-07-05	Active	Ashley Shaw	Lab 1	Created based on CT521 certificate ID84663
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-07-05	Active	Ashley Shaw	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-07-05	Active	Ashley Shaw	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy