

Certificates for Curtis Hall

Basic Information

First Name	Curtis
Last Name	Hall
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Mid Pacific Engineering	August Smarkel	840 Embarcadero Drive, Suite 20, West Sacramento, CA 95605	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2023-04-25	Expired	Ignocencio Herrera	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2023-04-25	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-04-25	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-04-25	Expired	Ignocencio Herrera	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					