

Certificates for Jacob Joyner

Basic Information

First Name	Jacob
Last Name	Joyner
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Krazan & Associates, Incorporated	Jared Gruszczynski	215 West Dakota Avenue, Clovis, CA 93612	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-03-04	Active	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy