

Certificates for Andrew Treadway

Basic Information

First Name	Andrew
Last Name	Treadway
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group	Matthew Hansen	3150 Fitzgerald Road, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-02-21	Active	Sarbjit Grewal	Lab 1	Created based on CT521 certificate ID85123

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-07-25	Expired	Husam Makhoul	Lab 1	Created based on CT521 certificate ID85123
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-02-21	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-02-21	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					