

## Certificates for Edward Castro

### Basic Information

<b>First Name</b>	Edward
<b>Last Name</b>	Castro
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
The Quality Firm	Ricardo Osorio	177 University Parkway, Pomona, CA 91768	7	Lab 1

### Test Methods

### California Test (CT) Certifications

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-09-27	Active	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID86300

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-09-27	Active	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID86300
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-09-27	Active	Majid Fahrtosh	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					