

## Certificates for Randy Silva

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Randy  |
| <b>Last Name</b>  | Silva  |
| <b>Status</b>     | Active |

### Associated Labs

Total 2 items.

| Lab Name                            | Manager Name   | Full Address                                | District | Page Alias |
|-------------------------------------|----------------|---|----------|------------|
| The Quality Firm                    | Ricardo Osorio | 177 University Parkway,<br>Pomona, CA 91768 | 7        | Lab 1      |
| The Quality Firm -<br>mobile lab #2 | Ricardo Osorio | 177 University Parkway,<br>Pomona, CA 91768 | 7        | Lab 2      |

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A)             | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2026-02-10      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2026-02-10      | Active | Avinash Ralla  | (No lab)            | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments) |

| Test Method  | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments                                   |
|--|-----------------|--------|----------------|---------------------|--|
| CT 227 Cleanness Value (JTCP - S&A)                    | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments)                              |
| CT 229 Durability (JTCP - S&A)                         | 2026-02-10      | Active | Avinash Ralla  | Lab 1, Lab 2        | (No comments)                              |
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2024-09-27      | Active | Rabiul Hyder   | Lab 1, Lab 2        | Created based on CT521 certificate ID86305 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)  | 2024-09-27      | Active | Rabiul Hyder   | Lab 1, Lab 2        | Created based on CT521 certificate ID86305 |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)      | 2024-09-27      | Active | Majid Fahrtosh | Lab 1, Lab 2        | (No comments)                              |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |