

Certificates for Martin Flores Jr.

Basic Information

First Name	Martin
Last Name	Flores Jr.
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 547 Bridge Profilograph	2026-01-11	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					