

## Certificates for Gerrit Schriemer

### Basic Information

<b>First Name</b>	Gerrit
<b>Last Name</b>	Schriemer
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CTL, Incorporated	Gerrit Schriemer	710 South Kaweah Avenue, Exeter, CA 93221	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-09-16	Active	Brian Ellis	(No lab)	(No comments)
CT 211 LA Rattler	2024-05-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-05-16	Expired	Sarbjit Grewal	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					