

Certificates for Samuel Kiser

Basic Information

First Name	Samuel
Last Name	Kiser
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Humboldt County Materials Laboratory	Brian Meyer	931 2nd Street, Eureka, CA 95501	1	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-07-11	Active	Alexis England	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2026-07-11	Active	Alexis England	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-07-11	Active	Alexis England	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-07-11	Active	Alexis England	Lab 1	(No comments)
CT 211 LA Rattler	2025-07-11	Active	Alexis England	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2025-07-11	Active	Alexis England	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-07-11	Active	Alexis England	Lab 1	Created based on CT521 certificate ID86111
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-07-11	Active	Alexis England	Lab 1	Created based on CT521 certificate ID86111

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					