Certificates for Adilson Richa

Basic Information

First Name	Adilson
Last Name	Richa
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
The Quality Firm	Ricardo Osorio	177 University Parkway, Pomona, CA 91768	7	Lab 1

Test Methods

California Test (CT) Certifications

Total **11** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-01-31	Active	Majid Fahrtosh	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2026-01-31	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-02-09	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-07-22	Active	Brian Ellis	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-07-22	Active	Brian Ellis	Lab 1	(No comments)

Unofficial Copy

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy