

Certificates for Stephanie Ferkins

Basic Information

First Name	Stephanie
Last Name	Ferkins
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-12-02	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-09-22	Expired	Alexis England	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2023-09-22	Expired	Alexis England	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-09-16	Active	Dalton LaBoskey	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy