

Certificates for Colin Williams

Basic Information

First Name	Colin
Last Name	Williams
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-09-29	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID86324
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-09-29	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID86324

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					