

## Certificates for Colin Williams

### Basic Information

<b>First Name</b>	Colin
<b>Last Name</b>	Williams
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

### California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2023-09-29	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-09-29	Expired	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID86324
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-09-29	Expired	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID86324

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					