

## Certificates for Joseph Padilla

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Joseph  |
| <b>Last Name</b>  | Padilla |
| <b>Status</b>     | Active  |

### Associated Labs

Total 3 items.

| Lab Name                          | Manager Name | Full Address                              | District | Page Alias |
|-----------------------------------|--------------|---|----------|------------|
| Gallagher & Burke (DeSilva Gates) | Tracy Zubek  | 344 High Street, Oakland, CA 94601        | 4        | Lab 1      |
| DeSilva Gates Aggregates          | Tracy Zubek  | 6527 Calaveras Road, Sunol, CA 94586      | 4        | Lab 2      |
| DeSilva Gates/Marysville          | Tracy Zubek  | 4713 Hammonton Road, Marysville, CA 95901 | 3        | Lab 3      |

### Test Methods

### California Test (CT) Certifications

Total 21 items.

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A)             | 2026-01-20      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2026-01-20      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2026-01-20      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2025-12-02      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2025-12-02      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2025-12-02      | Active  | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 206 SpG & Absorption - Coarse Aggregates                     | 2024-06-22      | Expired | Ed Gamboa      | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 207 SpG & Absorption - Fine Aggregates                       | 2024-06-22      | Expired | Ed Gamboa      | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope       | Comments      |
|--|-----------------|---------|-----------------|---------------------------|---------------|
| CT 211 LA Rattler  | 2024-06-21      | Expired | Joshua Gallaway | Lab 1                     | (No comments) |
| CT 212 Unit Weight of Aggregates                               | 2024-08-10      | Active  | Ed Gamboa       | Lab 1,<br>Lab 2           | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2025-12-02      | Active  | Avinash Ralla   | Lab 3                     | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                            | 2025-12-02      | Active  | Avinash Ralla   | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)    | 2025-12-02      | Active  | Avinash Ralla   | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                            | 2025-12-02      | Active  | Avinash Ralla   | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 229 Durability (JTCP - S&A)                                 | 2025-12-02      | Active  | Avinash Ralla   | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 234 Uncompacted void - Fine Aggregates                      | 2024-07-07      | Expired | Ed Gamboa       | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 235 Flat and Elongated Particles                        | 2024-08-14      | Active  | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 304 Sample Preparation - HMA                            | 2024-08-18      | Active  | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 366 Stabilometer  | 2024-08-18      | Active  | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 389 Hamburg Wheel-Track                                 | 2024-06-21      | Expired | Joshua Gallaway | Lab 1, Lab 2        | (No comments) |

## AASHTO/ASTM Proficiencies

Total 22 items.

| Test Method  | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2026-01-20      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-----------------|---------------------|---------------|
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)                     | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)                     | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T84 SpG & Absorption - Fine Aggregates                         | 2024-06-22      | Expired | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T85 SpG & Absorption - Coarse Aggregates                       | 2024-07-06      | Expired | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T96 L.A. Rattler   | 2024-06-21      | Expired | Joshua Gallaway | Lab 1, Lab 2        | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)           | 2026-01-26      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)        | 2026-01-26      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T210 Aggregate Durability Index                       | 2024-08-14      | Active | Ed Gamboa      | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)       | 2026-01-20      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)          | 2026-01-26      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                   | 2026-01-26      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T283 Moisture Induced Damage (TSR)                    | 2024-08-10      | Active | Ed Gamboa      | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T304 Uncompacted Void - Fine Aggregate                | 2024-08-10      | Active | Ed Gamboa      | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2026-01-26      | Active | Avinash Ralla  | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-----------------|---------------------|---------------|
| AASHTO T312<br>Gyratory Compactor  | 2024-06-23      | Expired | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T324<br>Hamburg Wheel-Track                                       | 2024-06-21      | Expired | Joshua Gallaway | Lab 1, Lab 2        | (No comments) |
| AASHTO T329<br>Moisture Content<br>(Oven Method) - HMA<br>(JTCP - HMA I) | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T335<br>Percentage of Fracture<br>(JTCP - HMA I)                  | 2026-01-20      | Active  | Avinash Ralla   | Lab 1, Lab 2, Lab 3 | (No comments) |
| ASTM D4791 Flat and<br>Elongated Particles                               | 2024-08-14      | Active  | Ed Gamboa       | Lab 1, Lab 2, Lab 3 | (No comments) |