

## Certificates for Garry Manich

### Basic Information

<b>First Name</b>	Garry
<b>Last Name</b>	Manich
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Fortuna Field Laboratory	Dan Bornman	180 Dinsmore Drive (City of Fortuna Corporate Yard), Fortuna, CA 95540	1	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-12-09	Incomplete	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-12-09	Incomplete	Avinash Ralla	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-04-04	Expired	Alexis England	(No lab)	Created based on CT521 certificate ID90192
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-04-04	Expired	Alexis England	(No lab)	Created based on CT521 certificate ID90192

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					