

## Certificates for Jose C. Ruiz

### Basic Information

<b>First Name</b>	Jose C.
<b>Last Name</b>	Ruiz
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GMED/Materials Laboratory-County of Los Angeles Department of Public Works	Humberto Rios	1537 Alcazar Street, Los Angeles, CA 90033	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-12-13	Active	Majid Fehrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-05-21	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-12-13	Active	Majid Fehrtosh	Lab 1	Created based on CT521 certificate ID88143
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-12-13	Active	Majid Fehrtosh	Lab 1	Created based on CT521 certificate ID88143

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					