

Certificates for Sergio Segovia

Basic Information

First Name	Sergio
Last Name	Segovia
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
MTGL, Incorporated	Isaac Chun	2992 East La Palma Avenue, Anaheim, CA 92806	12	Lab 1

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-01-29	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2025-01-29	Active	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2029-04-12	Active	Brian Ellis	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					