

Certificates for Melissa Silva Soto

Basic Information

First Name	Melissa
Last Name	Silva Soto
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Construction Testing Services - Rocklin	Manvir Chahal	4400 Yankee Hill Road, Rocklin, CA 95677	3	Lab 1
Construction Testing Services	Daniel Ventura	2118 Rheem Drive, Pleasanton, CA 94588	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-05-24	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2026-05-24	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2026-05-24	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-24	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2026-05-24	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-08	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					