

Certificates for Eric Barrera

Basic Information

| | |
|-------------------|---------|
| First Name | Eric |
| Last Name | Barrera |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|----------------------------------------------------|--------------|----------------------------------------------------------|----------|------------|
| Vulcan Materials Company - Irwindale Laboratory | Timothy Reed | 16009 East Foothill Boulevard, Irwindale, CA 91706 | 7 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 10 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-----------------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | (No lab) | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 229 Durability (JTCP - S&A) | 2026-02-10 | Active | Avinash Ralla | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy