

Certificates for Javier Lopez

Basic Information

First Name	Javier
Last Name	Lopez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	11423 Sunrise Gold Circle, Unit 1, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2026-03-16	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2026-03-16	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-03-16	Active	Joshua Gallaway	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-09-29	Incomplete	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-04-17	Active	Ram Sah	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-05-09	Active	Joshua Gallaway	Lab 1	Created based on CT521 certificate ID90661
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-05-09	Active	Joshua Gallaway	Lab 1	Created based on CT521 certificate ID90661

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2026-05-09	Active	Joshua Gallaway	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2026-05-09	Active	Joshua Gallaway	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyrotory Compactor	2025-04-17	Active	Ram Sah	Lab 1	(No comments)