

Certificates for Alexis DiMarzo

Basic Information

First Name	Alexis
Last Name	DiMarzo
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Fenagh, LLC	Bruce Tie	9070 Center Avenue, Rancho Cucamonga, CA 91730	8	Lab 1

Test Methods

California Test (CT) Certifications

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-04-11	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2026-04-11	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-04-11	Active	Rabiul Hyder	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-07-08	Active	Roy(Chip) Denner	Lab 1	Extension due to IA South workload, reassignment among different IAs. Authorized by IA South Branch Chief. "IA 130"
CT 375 AC Density by Nuclear Gage	2026-07-08	Active	Roy(Chip) Denner	Lab 1	Extension due to IA South workload, reassignment among different IAs. Authorized by IA South Branch Chief. "IA 130"
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-05-13	Active	David Medina	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-05-13	Active	David Medina	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					