

## Certificates for Sebastian Adams

### Basic Information

<b>First Name</b>	Sebastian
<b>Last Name</b>	Adams
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2026-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2026-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2026-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-22	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2025-05-08	Active	Benjamin Martinez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-03-31	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					