

Certificates for Sean Mcwithey

Basic Information

First Name	Sean
Last Name	Mcwithey
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D02 - Materials Laboratory	Ward Jenkins	1657 Riverside Drive, Redding, CA 96001	2	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 211 LA Rattler	2025-02-07	Active	Darrell Valasek	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2026-05-12	Active	David Medina	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T96 L.A. Rattler	2025-02-07	Active	Darrell Valasek	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-10-05	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-10-05	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2025-02-05	Active	Darrell Valasek	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-10-05	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-10-05	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-10-05	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-10-20	Active	Gabriela Lopez	Lab 1	(No comments)

Unofficial Copy