

Certificates for Patrick Blohm

Basic Information

First Name	Patrick
Last Name	Blohm
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-06-06	Active	Joshua Gallaway	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-05-17	Active	Joshua Gallaway	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2026-05-17	Active	Joshua Gallaway	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-05-17	Expired	Joshua Gallaway	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2024-06-06	Expired	Joshua Gallaway	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					