

## Certificates for Jackson Gatlin

### Basic Information

<b>First Name</b>	Jackson
<b>Last Name</b>	Gatlin
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery Laboratories - Anaheim	Carlos Lievanos	1195 North Tustin Avenue, Anaheim, CA 92807	12	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2024-10-30	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2024-10-30	Active	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-10-30	Active	Ashley Shaw	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-05-18	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID91207
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-05-18	Active	Afsaneh Ostovar	Lab 1	Created based on CT521 certificate ID91207
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-05-18	Active	Afsaneh Ostovar	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					