

Certificates for Cameron Bittick

Basic Information

First Name	Cameron
Last Name	Bittick
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	11423 Sunrise Gold Circle, Unit 1, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-06-14	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-07-26	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-08-22	Active	Rahshaun Spears	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-05-19	Active	David Medina	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					