

Certificates for Fidel Arias

Basic Information

First Name	Fidel
Last Name	Arias
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-06-23	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-06-23	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2024-06-23	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2024-06-23	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2024-06-23	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-07-11	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2024-07-11	Expired	Roy(Chip) Denner	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					