

Certificates for Jesse Lara

Basic Information

| | |
|-------------------|--------|
| First Name | Jesse |
| Last Name | Lara |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-----------------------------|---------------|--|----------|------------|
| RMA Group - Main Laboratory | Thomas Junker | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 1 |
| RMA Mobile Laboratory #12 | Steve Pitzer | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 4 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|--------------------|---------------------|---|
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2024-08-07 | Active | Robby Rodriguez | Lab 1 | Created based on CT521 certificate ID92503 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617) | 2024-08-07 | Active | Robby Rodriguez | Lab 1 | Created based on CT521 certificate ID92503 |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2024-08-07 | Active | Robby Rodriguez | Lab 1, Lab 2 | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC | 2024-08-07 | Active | Robby Rodriguez | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |