

Certificates for Mark Gonzalez

Basic Information

First Name	Mark
Last Name	Gonzalez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Recycling Systems, Incorporated R&D Laboratory	Jorge Campos	10240 San Sevaine Way, Jurupa Valley, CA 91752	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-12-07	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-12-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-12-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-12-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-12-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-08-04	Active	Gabriela Lopez	Lab 1	(No comments)