

Certificates for Nai Saephan

Basic Information

First Name	Nai
Last Name	Saephan
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-05-07	Active	Avinash Ralla	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					