

## Certificates for Lois Kearney

### Basic Information

<b>First Name</b>	Lois
<b>Last Name</b>	Kearney
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Crawford & Associates, Incorporated	Kennedy Hauder	4701 Freeport Blvd , Sacramento, CA 95822	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-09-29	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-09-29	Active	Gabriela Lopez	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2026-09-29	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-09-08	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-09-08	Active	Ignocencio Herrera	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					