

## Certificates for Christopher Pollack

### Basic Information

|                   |             |
|-------------------|-------------|
| <b>First Name</b> | Christopher |
| <b>Last Name</b>  | Pollack     |
| <b>Status</b>     | Active      |

### Associated Labs

Total **1** item.

| <b>Lab Name</b>                        | <b>Manager Name</b> | <b>Full Address</b>                                  | <b>District</b> | <b>Page<br/>Alias</b> |
|----------------------------------------|---------------------|------------------------------------------------------|-----------------|-----------------------|
| Kleinfelder, Incorporated - Sacramento | Chris Pollack       | 3130 Kilgore Rd. Suite 200, Rancho Cordova, CA 95670 | 3               | Lab 1                 |

### Test Methods

#### California Test (CT) Certifications

Total **18** items.

| <b>Test Method</b>                                        | <b>Expiration<br/>Date</b> | <b>Status</b> | <b>IA Responsible</b> | <b>Within<br/>Lab(s)<br/>Scope</b> | <b>Comments</b>  |
|-----------------------------------------------------------|----------------------------|---------------|-----------------------|------------------------------------|------------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I /<br>S&A) | 2026-09-29                 | Active        | Gabriela Lopez        | Lab 1                              | (No<br>comments) |

| Test Method                                                     | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                             | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| CT 229 Durability (JTCP - S&A)                                  | 2026-09-29      | Active | Gabriela Lopez | Lab 1               | (No comments) |

| Test Method                                                                   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|-------------------------------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)                      | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                                         | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                                   | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                                    | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)                    | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                                               | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                                         | 2028-01-27      | Active | Avinash Ralla  | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|



| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |

Unofficial Copy