

## Certificates for Alicia Parrish

### Basic Information

<b>First Name</b>	Alicia
<b>Last Name</b>	Parrish
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder, Incorporated - Ontario	Michael Magana	620 South Magnolia Avenue, Building G, Ontario, CA 91762	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-11-07	Active	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID94337
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-11-07	Active	Rabiul Hyder	Lab 1	Created based on CT521 certificate ID94337
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-11-07	Active	Rabiul Hyder	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-11-07	Active	Rabiul Hyder	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2024-11-07	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-11-04	Active	Gabriela Lopez	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					