

Certificates for Connor Cloherty

Basic Information

| | |
|-------------------|----------|
| First Name | Connor |
| Last Name | Cloherty |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|----------|----------------------|--------------|------------------|------------|
|----------|----------------------|--------------|------------------|------------|

No results found.

Test Methods

California Test (CT) Certifications

Total 3 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2024-11-13 | Active | Majid Fehrtosh | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|--|
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2024-11-13 | Active | Majid Fehrtosh | (No lab) | Created based on CT521 certificate ID94414 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617) | 2024-11-13 | Active | Majid Fehrtosh | (No lab) | Created based on CT521 certificate ID94414 |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |