

## Certificates for Michael Glaze

### Basic Information

<b>First Name</b>	Michael
<b>Last Name</b>	Glaze
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-11-09	Active	Majid Fahrtoosh	Lab 1	Created based on CT521 certificate ID94466

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-11-09	Active	Majid Fahrtosh	Lab 1	Created based on CT521 certificate ID94466
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-11-09	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-11-09	Active	Majid Fahrtosh	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					