Date: 2024-05-17



## Certificates for Marlene Juarez

### **Basic Information**

| First Name | Marlene |
|------------|---------|
| Last Name  | Juarez  |
| Status     | Active  |

### **Associated Labs**

#### Total 1 item.

| Lab Name                                | Manager Name | Full Address                                  | District | Page Alias |
|---|--------------|---|----------|------------|
| Kleinfelder, Incorporated -<br>Stockton | Adam Wohletz | 2001 Arch Airport Road,<br>Stockton, CA 95203 | 10       | Lab 1      |

### **Test Methods**

# California Test (CT) Certifications

Total 6 items.

| Test Method       | Expiration<br>Date | Status | IA Responsible  | Within<br>Lab(s)<br>Scope | Comments      |
|-------------------|--------------------|--------|-----------------|---------------------------|---------------|
| CT 204 LL, PL, PI | 2024-10-25         | Active | Joshua Gallaway | Lab 1                     | (No comments) |

Date: 2024-05-17



| Test Method   | Expiration<br>Date | Status | IA Responsible  | Within<br>Lab(s)<br>Scope | Comments  |
|---|--------------------|--------|-----------------|---------------------------|---|
| CT 206 SpG &<br>Absorption - Coarse<br>Aggregates               | 2024-10-25         | Active | Joshua Gallaway | Lab 1                     | (No comments)                                       |
| CT 207 SpG &<br>Absorption - Fine<br>Aggregates                 | 2024-12-19         | Active | Sarbjit Grewal  | Lab 1                     | (No comments)                                       |
| CT 521.2<br>Compressive<br>Strength - PCC<br>(ASTM C39 / C1231) | 2024-11-01         | Active | Joshua Gallaway | Lab 1                     | Created based<br>on CT521<br>certificate<br>ID94309 |
| CT 521.1<br>Compressive<br>Strength - PCC<br>(ASTM C39 / C617)  | 2024-11-01         | Active | Joshua Gallaway | Lab 1                     | Created based<br>on CT521<br>certificate<br>ID94309 |
| CT 531 Core Length - PCC  | 2024-11-01         | Active | Joshua Gallaway | Lab 1                     | (No comments)                                       |

# AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |