

Certificates for Jorge E Chavez

Basic Information

First Name	Jorge E
Last Name	Chavez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated	Matthew Ramos	13850 Cerritos Corporate Drive, Unit E, Cerritos, CA 90703	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-05-05	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					