

## Certificates for Omar Ibrahim

### Basic Information

<b>First Name</b>	Omar
<b>Last Name</b>	Ibrahim
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Trinity Engineering	Mark Horn	3109 North Miami Avenue, Fresno, CA 93727	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-01-19	Active	Allen Oliver	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 211 LA Rattler	2025-04-25	Active	Allen Oliver	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2025-04-25	Active	Allen Oliver	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-12-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2025-04-25	Active	Allen Oliver	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-06-18	Active	Allen Oliver	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2025-04-25	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2025-04-25	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2025-01-19	Active	Allen Oliver	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-01-17	Active	Allen Oliver	Lab 1	(No comments)

Unofficial Copy