

Certificates for Moises Munoz Cardenas

Basic Information

First Name	Moises
Last Name	Munoz Cardenas
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
MCK Services, Incorporated	Kim Ngoc (Mimi) Le	865 Howe Road, Martinez, CA 94553	4	Lab 1

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	(No lab)	Tester is affiliated with Lab No. 1.
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	(No lab)	Lab 1.
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	(No lab)	Lab 1.

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)